



# MorSun Technology Co.,LTD


| MODEL       | PICTRES                                                                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                     | LUMEN                                                           | EXW Price |      | PACKING                                          |
|-------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|-----------|------|--------------------------------------------------|
| MS-GX9XS    |    | 1.Watt:100W<br>2.High beam:100W 6500LM<br>3.Low beam:30w 3000lm<br>4.DRL:22W<br>5.9inch fits JEEP Wrnagker JL directly<br>6.With rebreather: better waterproof, dispelling fog inside<br>7.EMC inside: no Electromagnetic Interference                                                                                          | clear starry and clear "X"<br>both light up but without ring    | 220       | PAIR | 3 set/CTN<br>CTN size: 55*29*55CM<br>G.W.: 14KG  |
| MS-GX9RS    |    | 1.Watt:100W<br>2.High beam:100W 6500LM<br>3.Low beam:30w 3000lm<br>4.DRL:22W<br>5.9inch fits JEEP Wrnagker JL directly<br>6.With rebreather: better waterproof, dispelling fog inside<br>7.EMC inside: no Electromagnetic Interference                                                                                          | Ring light up and clear starry light up. Black "X" not light up | 230       | PAIR | 3 set/CTN<br>CTN size: 55*29*55CM<br>G.W.: 14KG  |
| MS-GX9R     |    | 1.Watt:100W<br>2.High beam:100W 6500LM<br>3.Low beam:30w 3000lm<br>4.DRL:22W<br>5.9inch fits JEEP Wrnagker JL directly<br>6.With rebreather: better waterproof, dispelling fog inside<br>7.EMC inside: no Electromagnetic Interference                                                                                          | Ring light up, black starry and Black "X" both not light up     | 230       | PAIR | 3 set/CTN<br>CTN size: 55*29*55CM<br>G.W.: 14KG  |
| MS-GX9RXS   |    | 1.Watt:100W<br>2.High beam:100W 6500LM<br>3.Low beam:30w 3000lm<br>4.DRL:22W<br>5.9inch fits JEEP Wrnagker JL directly<br>6.With rebreather: better waterproof, dispelling fog inside<br>7.EMC inside: no Electromagnetic Interference                                                                                          | Ring and clear starry and clear "X" all light up                | 240       | PAIR | 3 set/CTN<br>CTN size: 55*29*55CM<br>G.W.: 14KG  |
| MS-GX9RGB   |   | 1.Watt:100W<br>2.High beam:100W 6500LM<br>3.Low beam:30w 3000lm<br>4.DRL:22W<br>5.9inch fits JEEP Wrnagker JL directly<br>6.With rebreather: better waterproof, dispelling fog inside<br>7.EMC inside: no Electromagnetic Interference                                                                                          | RGB+White                                                       | 260       | PAIR | 3 set/CTN<br>CTN size: 64*31*60CM<br>G.W.: 17KG  |
| MS-JL-1088  |  | 1) Watt: 108W<br>2) High beam: 108W 6500LM<br>12W*3led+3W*24led<br>3) Low beam : 36W 3000LM<br>12 * 3led<br>4) DRL: 90LED 6W<br>5) Fits 2018+ JEEP Wrangler JL with bracket<br>6) With rebreather: better waterproof, dispelling fog inside<br>7) EMC inside: no Electromagnetic Interference                                   | with halo<br>(blue-white)                                       | 115       | PAIR | 1 set/CTN<br>CTN size: 53*28*14CM<br>G.W.: 3.5KG |
| MS-1088B    |  | 1) Watt: 108W<br>2) High beam: 108W 6500LM<br>12W*3led+3W*24led<br>3) Low beam : 36W 3000LM 12 * 3led<br>4) DRL: 90LED 6W<br>5) Fits JK and harley<br>6) With rebreather: better waterproof, dispelling fog inside<br>7) EMC inside: no Electromagnetic Interference<br>8) unique crystalline cups<br>9) Certificate DOT E-Mark | with halo<br>(blue-white)                                       | 88        | PAIR | 4 set/CTN<br>CTN size: 43*42*26CM<br>G.W.: 8.9KG |
| MS-1088WY   |  | Vatt: 108W<br>m: 108W 6500LM<br>1led 12 *<br>V 3000LM<br>3led<br>white/yellow                                                                                                                                                                                                                                                   | with halo<br>(white-yellow)                                     | 88        | PAIR | 4 set/CTN<br>CTN size: 43*42*26CM<br>G.W.: 8.9KG |
| MS-1088WY-1 |  |                                                                                                                                                                                                                                              | with halo<br>(white-yellow)                                     | 98        | PAIR | 4 set/CTN<br>CTN size: 43*42*26CM<br>G.W.: 8.9KG |
| MS-1088D    |  | 1) Watt: 108W<br>High beam: 108W 6500LM<br>12W*3led+3W*24led<br>Low beam : 36W 3000LM<br>12 * 3led                                                                                                                                                                                                                              | with halo<br>(white DRL)                                        | 88        | PAIR | 4 set/CTN<br>CTN size: 43*42*26CM<br>G.W.: 8.9KG |
| MS-1088N    |  | 1) Watt: 108W<br>High beam: 108W 6500LM<br>12W*3led+3W*24led<br>Low beam : 36W 3000LM 12 * 3led<br>4) DRL: 90LED 6W                                                                                                                                                                                                             | NO halo                                                         | 86        | PAIR | 4 set/CTN<br>CTN size: 43*42*26CM<br>G.W.: 8.9KG |


|             |                                                                                     |                                                                                                                                                                                             |                                                                                                                                                                              |    |      |                                                           |
|-------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|------|-----------------------------------------------------------|
| MS-880N     |     | Aluminum housing, PC lens<br>Watt: 45W<br>Led Qty: 9*5W<br>Led chip: Osram<br>Cup color: black, chrome<br>Lumen: 3620LM High, 2480LM Low<br>Diameter: 7 inch                                | 07-15 Jeep Wrangler<br>Unlimited JK 4 Door<br>07-15 Jeep Wrangler JK 2<br>Door<br>04-06 Jeep Wrangler LJ<br>Unlimited<br>97-06 Jeep Wrangler TJ                              | 35 | PAIR | 4 pair/CTN<br>CTN size: 43*26*42CM<br>G.W.: 9KG           |
| MS-881W     |    | Aluminum housing, PC lens<br>Watt: 45W<br>Led Qty: 9*5W<br>Led chip: Osram<br>Cup color: black, chrome<br>Lumen: 3620LM High, 2480LM Low<br>Diameter: 7 inch<br>Halo color: white to yellow | 07-15 Jeep Wrangler<br>Unlimited JK 4 Door<br>07-15 Jeep Wrangler JK 2<br>Door<br>04-06 Jeep Wrangler LJ<br>Unlimited<br>97-06 Jeep Wrangler TJ<br>81-85 Jeep CJ-8 Scrambler | 41 | PAIR | 4 pair/CTN<br>CTN size: 43*26*42CM<br>G.W.: 9.5KG         |
| MS-8088C    |    | 7 inch, for car(turn both)<br>(high beam: 47W low beam: 25W)                                                                                                                                |                                                                                                                                                                              | 30 | PCS  | 8pcs/CTN<br>CTN size: 43*43*28cm                          |
| MS-8088C-RL |                                                                                     | 7 inch, for car<br>(turn one side)                                                                                                                                                          | individual turning                                                                                                                                                           | 30 | PCS  | 8pcs/CTN<br>CTN size: 43*43*28cm                          |
| MS-8088M    |                                                                                     | 7 inch, for motorcycle<br>(turn when leaning)                                                                                                                                               | adaptive turning                                                                                                                                                             | 63 | PCS  | CTN SIZE: 43*44*30CM<br>G.W.: 10.1KG 8PCS/CTN             |
| MS-5D-A1    |    | 7 inch<br>126W-5D<br>Philips LED                                                                                                                                                            |                                                                                                                                                                              | 41 | PAIR | 8pcs/CTN<br>CTN size: 42*43*27cm<br>G.W.: 9.4KG           |
| MS-HL75A    |    | 7 inch                                                                                                                                                                                      |                                                                                                                                                                              | 26 | PAIR | 4 pair/CTN<br>CTN size: 42*41*20cm<br>G.W.: 9.8KG         |
| MS-HL90B    |   | 7 inch(18pcs led<br>middle 6pcs led-low<br>beam:osram<br>others-high beam:cree)                                                                                                             |                                                                                                                                                                              | 38 | PAIR | 8pcs/CTN<br>CTN size: 43*42*29cm<br>G.W.: 9.8KG           |
| MS-HL75B    |  | 7 inch                                                                                                                                                                                      |                                                                                                                                                                              | 55 | PAIR | 8pcs/CTN<br>CTN size: 43*42*29cm<br>G.W.: 9.8KG           |
| MS-HL80B    |  | 7 inch                                                                                                                                                                                      |                                                                                                                                                                              | 50 | PAIR | 8pcs/CTN<br>CTN size: 43*43*28cm<br>G.W.: 10.3KG          |
| MS-7080     |  | 7 inch High Lumen                                                                                                                                                                           |                                                                                                                                                                              | 36 | PAIR | 4 pair/CTN<br>Ctn Size: 44*44*32CM<br>Gross weight: 12 KG |
| MS-7080-C   |                                                                                     | 7 inch Low Lumen                                                                                                                                                                            |                                                                                                                                                                              | 32 | PAIR |                                                           |
| MS-7080D    |  | 7 inch High Lumen                                                                                                                                                                           |                                                                                                                                                                              | 41 | PAIR | 4 pair/CTN<br>Ctn Size: 44*44*32CM<br>Gross weight: 12 KG |
| MS-7080D-C  |                                                                                     | 7 inch Low Lumen                                                                                                                                                                            |                                                                                                                                                                              | 37 | PAIR |                                                           |
| MS-6080     |  | 7 inch                                                                                                                                                                                      | cup color:<br>red, blue, orange                                                                                                                                              | 35 | PAIR | 4 pair/CTN<br>CTN size: 42*28*51cm<br>G.W.: 10.8KG        |
| MS-6081     |  | 7 inch                                                                                                                                                                                      | cup color:<br>red, blue, orange                                                                                                                                              | 37 | PAIR | 4 pair/CTN<br>CTN size: 42*28*51cm<br>G.W.: 10.8KG        |


|             |                                                                                     |                                                                         |                                 |     |      |                                                    |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------|-----|------|----------------------------------------------------|
| MS-R7060    |     | 7 inch                                                                  | cup color:<br>red, blue, orange | 37  | PAIR | 4 pair/CTN<br>CTN size: 42*28*51cm<br>G.W.: 10.8KG |
| MS-R7061    |    | 7 inch                                                                  | cup color:<br>red, blue, orange | 38  | PAIR | 4 pair/CTN<br>CTN size: 42*28*51cm<br>G.W.: 10.8KG |
| MS-7031     |    | 7 inch                                                                  | white to yellow                 | 35  | PAIR | 4 pair/CTN<br>CTN size: 42*42*29cm<br>G.W.: 7.5KG  |
| MS-1680     |    | 7 inch                                                                  |                                 | 55  | PAIR | 4 pair/CTN<br>CTN size: 43*26*42CM<br>G.W.: 10.8KG |
| MS-1681     |    | 7 inch <b>NO RGB</b><br>(white turn white<br>white turn amber)          |                                 | 62  | PAIR | 4 pair/CTN<br>CTN size: 43*26*42CM<br>G.W.: 9.3 KG |
| MS-RGB02M   |   | <b>Multi Function</b><br>7 inch RGB<br><b>Phone App Control</b>         |                                 | 78  | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |
| MS-RGB02B   |  | 7 inch RGB<br><b>Phone App Control</b>                                  |                                 | 56  | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |
| MS-RGBST02M |  | <b>RGB Headlight</b><br><b>Multi function</b><br>1X4(2FOGS+2HEADLIGHTS) |                                 | 114 | PAIR |                                                    |
| MS-RGB03M   |  | <b>Multi Function</b><br>7 inch RGB<br><b>Phone App Control</b>         |                                 | 80  | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |
| MS-RGB03B   |  | 7 inch RGB<br><b>Phone App Control RGB</b>                              |                                 | 54  | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |

|              |                                                                                                                                                                        |                                                                                                                                                         |                                                                                                                                            |             |      |                                                    |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------|------|----------------------------------------------------|
| MS-RGBST03M  |                                                                                        | <b>RGB Headlight<br/>Multi function<br/>1X4(2FOGS+2HEADLIGHTS)</b>                                                                                      |                                                                                                                                            | <b>104</b>  | PAIR |                                                    |
| MS-RGB168A   |                                                                                       | <b>7 inch<br/>built-in driver RGB</b>                                                                                                                   |                                                                                                                                            | <b>37</b>   | PCS  | 4 pair/CTN<br>CTN size: 43*27*51CM<br>G.W.: 12.6KG |
| MS-RGB168B   |                                                                                       | <b>7 inch RGB<br/>Phone App Control RGB</b>                                                                                                             |                                                                                                                                            | <b>69</b>   | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |
| MS-RGB168M   | <br> | <b>Multi Function<br/>7 inch RGB<br/>Phone App Control</b>                                                                                              |                                                                                                                                            | <b>88</b>   | PAIR | 4 pair/CTN<br>CTN size: 54x44x34CM<br>G.W.: 15.7KG |
| MS-RGBST168M |                                                                                       | <b>RGB Headlight<br/>Multi function<br/>1X4(2FOGS+2HEADLIGHTS)</b>                                                                                      |                                                                                                                                            | <b>124</b>  | SET  |                                                    |
| MS-0057      |                                                                                      | Led Qty: 9*5W Osram<br>Watt: 45W<br>Lumen: high 3250lm, low 2250lm<br>IP rate: IP67                                                                     | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC                                                             | <b>19</b>   | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |
| MS-0057C     |                                                                                     | Led Qty: 9*5W CREE<br>Watt: 45W<br>Lumen: high 3250lm, low 2250lm<br>IP rate: IP67                                                                      | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC                                                             | <b>14</b>   | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |
| MS-0057D     |                                                                                     | Led Qty: 9*5W Osram<br>Watt: 45W<br>Lumen: high 3250lm, low 2250lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black        | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>30</b>   | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |
| MS-0057DD    |                                                                                     | Led Qty: 9*5W Osram<br>Watt: 45W<br>Lumen: high 3250lm, low 2250lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black        | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>30</b>   | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |
| MS-5.7R-001  |                                                                                     | Led Qty: 8 PCS*5W CREE<br>Watt: 40W<br>Lumen: high 1770lm, low 1350lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black     | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>16</b>   | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |
| MS-5.7R-002  |                                                                                     | Led Qty: CREE, 2*10W, 4*5W<br>Watt: 40W<br>Lumen: high 1770lm, low 1350lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>19</b>   | PCS  | 8pcs/CTN<br>CTN size: 40*40*26cm<br>G.W.: 7.5KG    |
| MS-5.7R-003  |                                                                                     | Led Qty: CREE, 2*10W, 4*5W<br>Watt: 40W<br>Lumen: high 1770lm, low 1350lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>19</b>   | PCS  | 8pcs/CTN<br>CTN size: 40*40*26cm<br>G.W.: 7.8KG    |
| MS-5.7R-004  |                                                                                     | Led Qty: CREE, 2*10W, 4*5W<br>Watt: 40W<br>Lumen: high 1770lm, low 1350lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4 | <b>18.5</b> | PCS  | 12pcs/CTN<br>CTN size: 40*40*33cm<br>G.W.: 11KG    |


|                                  |                                                                                     |                                                                                                                                                                              |                                                                                                                                                           |     |      |                                                   |
|----------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---------------------------------------------------|
| MS-5080D                         |     | Led Qty: high 2*12W; low 1*12W;<br>60*2835=12W<br>Watt: 48W<br>Lumen: high 2100lm, low 1050lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black  | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,<br>FXDB, FXD35, FXDSE,<br>FXDF<br>99-2000 FXR2, FXR3, FXR4<br>84-08 FXSTC | 19  | PCS  | 12pcs/CTN<br>CTN size: 37*37*38cm<br>G.W.: 7.8KG  |
| MS-6088RK<br>adaptive turning    |    | Led Qty: 7*10W high, 4*10W low<br>Watt: 70W<br>Lumen: high 3250lm, low 2120lm<br>IP rate: IP67                                                                               | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,                                                                           | 58  | PCS  | 12pcs/CTN<br>CTN size: 47*39*33cm<br>G.W.: 11.6KG |
| MS-6088-RL<br>individual turning |    | Led Qty: 10*12W+3*5W<br>Watt: 120W<br>Lumen: high 3250lm, low 2120lm<br>IP rate: IP67                                                                                        | 96-Later XL1200C<br>98-Later XL883C<br>94-08 FXDWG<br>06-Later FXD, FXDL, FXDC,                                                                           | 20  | PCS  | 12pcs/CTN<br>CTN size: 47*39*33cm<br>G.W.: 11.6KG |
| MS-R055                          |    | 5 inch double light<br>for motorcycle<br>halo NO                                                                                                                             |                                                                                                                                                           | 35  | PAIR | 12 pair/CTN<br>size: 65*33*33cm<br>G.W.: 14.8KG   |
| MS-R055H                         |    | 5 inch double light<br>for motorcycle<br>With halo                                                                                                                           |                                                                                                                                                           | 37  | PAIR | 12 pair/CTN<br>size: 65*33*33cm<br>G.W.: 14.8KG   |
| MS-1079N                         |    | Led Qty: high 2*15W; low 1*15W;<br>Watt: 45W<br>Lumen: high 3240lm, low 1620lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black<br>Volt: 10-30V | 7 inch<br>NO halo                                                                                                                                         | 31  | PCS  | 8 pcs/CTN<br>CTN size: 41*42*27cm<br>G.W.: 7.8KG  |
| MS-1079                          |    | Led Qty: high 2*15W; low 1*15W;<br>24*2835=5W<br>Watt: 50W<br>Lumen: high 3240lm, low 1620lm                                                                                 | 7 inch<br>with halo                                                                                                                                       | 32  | PCS  | 8 pcs/CTN<br>CTN size: 41*42*27cm<br>G.W.: 7.8KG  |
| MS-1057                          |  | Led Qty: high 2*15W; low 1*15W;<br>24*2835=5W<br>Watt: 50W<br>Lumen: high 3240lm, low 1620lm                                                                                 | 5.75 inch with halo                                                                                                                                       | 31  | PCS  | 12 pcs/CTN<br>CTN size: 37*37*33cm<br>G.W.: 9.6KG |
| MS-1057N                         |  | Led Qty: high 2*15W; low 1*15W;<br>Watt: 45W<br>Lumen: high 3240lm, low 1620lm<br>IP rate: IP67<br>Housing: Aluminum<br>Lens: PC<br>Cup color: chrome, black<br>Volt: 10-30V | 5.75 inch NO halo                                                                                                                                         | 30  | PCS  | 12 pcs/CTN<br>CTN size: 37*37*33cm<br>G.W.: 9.6KG |
| MS-701                           |  | 7 inch                                                                                                                                                                       |                                                                                                                                                           | 74  | PAIR | 1pcs/CTN<br>CTN size: 22*20*11cm<br>G.W.: 0.8KG   |
| MS-501                           |  | 5.75 inch 42W                                                                                                                                                                |                                                                                                                                                           | 33  | PCS  | 20 pair/CTN<br>size: 46*36*37cm<br>G.W.: 20.4KG   |
| MS-451                           |  | 4.5 inch 30W                                                                                                                                                                 |                                                                                                                                                           | 48  | PAIR | 20 pair/CTN<br>size: 39*39*26cm<br>G.W.: 12.5KG   |
| MS-GX8D                          |  | with halo                                                                                                                                                                    |                                                                                                                                                           | 155 | SET  | 4 set/CTN<br>CTN size: 49*38*40<br>G.W.: 9 KG     |
| MS-GX8                           |  | without halo                                                                                                                                                                 |                                                                                                                                                           | 140 | SET  | 4 set/CTN<br>CTN size: 49*38*40<br>G.W.: 9 KG     |
| MS-G2001B                        |  | 5.75 inch/pcs<br>double headlight                                                                                                                                            |                                                                                                                                                           | 85  | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG   |

|                              |                                                                                     |                                                                                        |                                                                                                                                                         |     |      |                                                    |
|------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|----------------------------------------------------|
| MS-G2001D                    |     |                                                                                        | 5.75 inch/pcs<br>double headlight                                                                                                                       | 92  | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG    |
| MS-G1001                     |    |                                                                                        | 5.75 inch/pcs<br>double headlight                                                                                                                       | 63  | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG    |
| MS-G1001D                    |    | for road glide                                                                         | 5.75 inch/pcs<br>double headlight                                                                                                                       | 70  | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG    |
| MS-G2002                     |    | 5.75 inch, for motorcycle<br>(No gravity sensor)<br>led QTY: 12*10W, 3*5W              |                                                                                                                                                         | 83  | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG    |
| MS-G2002-RK                  |                                                                                     | 5.75 inch, for motorcycle<br>(gravity sensor)<br>led QTY: 12*10W, 3*5W chip code: 1860 |                                                                                                                                                         | 109 | SET  | 4 set/CTN<br>CTN size: 42*28*58<br>G.W.: 12.3KG    |
| MS-VROD01<br>turn both sides |    | turn both sides<br>for VROD                                                            | Cups option:Chorm/Black 7<br>inch DRL/WHITE<br>High Beam led and Lumen:<br>997LM 10PC OSRAM<br>Low beam Led and Lumen:<br>670LM 6 PC OSRAM<br>IP : IP65 | 45  | PCS  | 8pcs/CTN<br>CTN size: 45*28*57cm<br>G.W.: 15KG     |
| MS-VROD01-RK<br>adaptive     |                                                                                     | adaptive<br>for VROD                                                                   |                                                                                                                                                         | 63  | PCS  | 8pcs/CTN<br>CTN size: 45*28*57cm<br>G.W.: 15KG     |
| MS-4686                      |   | 4x6 inch                                                                               |                                                                                                                                                         | 36  | PAIR | 10 pair/CTN<br>CTN size:54x31x47CM<br>G.W.: 15.4KG |
| MS-4686D                     |  | 4x6 inch with halo                                                                     |                                                                                                                                                         | 51  | PAIR | 10 pair/CTN<br>CTN size:54x31x47CM<br>G.W.: 15.4KG |
| MS-4682                      |  | 4x6 inch                                                                               |                                                                                                                                                         | 34  | PAIR | 10 pair/CTN<br>CTN size:54x31x47CM<br>G.W.: 15.4KG |
| MS-4682D                     |  | 4x6 inch with halo                                                                     |                                                                                                                                                         | 49  | PAIR | 10 pair/CTN<br>CTN size:54x31x47CM<br>G.W.: 15.4KG |
| MS-4602                      |  | 4x6 inch, 45W                                                                          |                                                                                                                                                         | 18  | PAIR | 4 pair/CTN<br>CTN size: 43x30x25CM<br>G.W.: 7KG    |
| MS-4606                      |  | 4x6 inch, cree chip                                                                    |                                                                                                                                                         | 46  | PAIR | 12pcs/CTN<br>CTN size: 45*23*55cm<br>G.W.: 10KG    |
| MS-4608                      |  | 4x6 inch, cree chip                                                                    |                                                                                                                                                         | 22  | PAIR | 12pcs/CTN<br>CTN size: 45*23*55cm<br>G.W.: 10KG    |
| MS-4609                      |  | 4x6 inch with halo                                                                     |                                                                                                                                                         | 72  | PAIR | 12pcs/CTN<br>CTN size: 45*23*55cm<br>G.W.: 10KG    |
| MS-S5786                     |  | 5x7 inch                                                                               | normal version                                                                                                                                          | 41  | PAIR | 6 pair/CTN<br>CTN size: 49*38*32cm<br>G.W.: 12KG   |

|             |                                                                                     |                                                                                                                                                         |                                               |     |      |                                                                                |
|-------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----|------|--------------------------------------------------------------------------------|
| MS-S5786H   |     | 5x7 inch                                                                                                                                                | heated lens                                   | 59  | PAIR | 6 pair/CTN<br>CTN size: 49*38*32cm<br>G.W.: 12KG                               |
| MS-S5786D   |    | 5x7 inch with halo                                                                                                                                      | white to yellow ring                          | 56  | PAIR | 6 pair/CTN<br>CTN size: 49*38*32cm<br>G.W.: 12.8KG                             |
| MS-S5788    |    | 5x7 inch                                                                                                                                                |                                               | 40  | PAIR | 8 pair/CTN<br>CTN size: 40*36*48cm<br>G.W.: 16.3KG                             |
| MS-S5788D   |    | 5x7 inch with halo                                                                                                                                      | white to yellow ring                          | 55  | PAIR | 8 pair/CTN<br>CTN size: 40*36*48cm<br>G.W.: 16.3KG                             |
| MS-S5782    |    | 5x7 inch                                                                                                                                                |                                               | 40  | PAIR | 8 pair/CTN<br>CTN size: 40*36*48cm<br>G.W.: 16.3KG                             |
| MS-S5782D   |    | 5x7 inch with halo                                                                                                                                      | white to yellow ring                          | 55  | PAIR | 8 pair/CTN<br>CTN size: 40*36*48cm<br>G.W.: 16.3KG                             |
| MS-S5701    |    | 5x7 inch, osram chip<br>High beam: 12V @ 3.901A (46.8Watt),<br>24V @ 2.093A (50.2Watt)<br>Low beam: 12V @ 1.769A (21.2Watt),<br>24V @ 1.029A (24.7Watt) |                                               | 57  | PAIR | 4 pair/CTN<br>CTN size: 50*36*32cm<br>G.W.: 11KG                               |
| MS-S5702    |    | 5x7 inch, osram chip<br>30W, 15Wx2pcs                                                                                                                   |                                               | 45  | PAIR | 4 pair/CTN<br>CTN size: 50*36*32cm<br>G.W.: 11.5KG                             |
| MS-S5702D   |   | 5x7 inch with halo                                                                                                                                      | white to yellow ring                          | 60  | PAIR | 3 pair/CTN<br>CTN size: 47*44*22cm<br>G.W.: 9.4 KG                             |
| MS-S5703    |  | 5x7 inch with halo                                                                                                                                      | white DRL                                     | 32  | PAIR | 4 pair/CTN<br>CTN size: 50*36*32cm<br>G.W.: 11.5KG                             |
| MS-S5705    |  | 5x7 inch, 45W                                                                                                                                           |                                               | 18  | PAIR | 20pcs/CTN<br>CTN size: 45*42*31cm<br>G.W.: 16.3KG                              |
| MS-S5709    |  | 5x7 inch with halo                                                                                                                                      | white DRL                                     | 80  | PAIR | 20pcs/CTN<br>CTN size: 42*32*46cm<br>G.W.: 18.5KG                              |
| MS-7039C    |  | 5x7 inch with halo, 45Watt<br>cree chip                                                                                                                 | white DRL                                     | 32  | PAIR | QTY: 10 pcs/ctn<br>G.W.: 0.9 kg/pcs<br>G.W.: 11 KG<br>Ctn Size: 55*36.5*21.5CM |
| MS-R1000ZR  |  | ZR XP 100 2016-2016 RZR XP<br>5-2016 RZR 900 2016 RZR XP<br>3 2016 RZR XP 4 TURBO<br>E ATV/UTV LED HEADLIGHT                                            |                                               | 65  | PAIR | 4 pair/CTN<br>CTN size: 63*39*35cm<br>G.W.: 11.1KG                             |
| MS-R1000ZRD |  | 2016 RZR XP 100 2016-2016 RZR XP<br>900 2015-2016 RZR 900 2016 RZR XP<br>4 TURBO 2016 RZR XP 4 TURBO<br>R MAKE ATV/UTV LED HEADLIGHT                    | DRL+Turn:79/pair<br>RGB: 89/pair              |     | PAIR | 4 pair/CTN<br>CTN size: 63*39*35cm<br>G.W.: 11.1KG                             |
| MS-JR1518H  |  | for 2015-2017 Jeep Reneagde HID<br>Conversion Kit<br>1. Temperature color: 5000K-<br>6000K and 4200LM<br>2. Bulb Type: HID<br>3. Votage: 12V 35/45W     | led headlights For jeep<br>renegade 2015-2018 | 248 | PAIR | 1 pair/CTN<br>CTN size: 64x35x33CM<br>G.W.: 5.7KG                              |

| MODEL           | PICTRES                                                                             | DESCRIPTION                                                                                                                                                                                                                                                                   | LUMEN                                   | EXW Price |                    | PACKING                                             |
|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|-----------|--------------------|-----------------------------------------------------|
| MS-JLTS9        |    | 1).DRL WHITE :30W 1*30LED<br>2).TURNING YELLOW FLASH :18W 1*18LED<br>3) With rebreather:<br>better waterproof, dispelling fog inside<br>COMPATIBILITY<br>JEEP WRANGLER JL:Fits: 2018+                                                                                         | for Sports, Sport                       | 71        | PAIR               | 6 pair/CTN<br>CTN size:65*28*45cm<br>G.W.: 11.4KG   |
| MS-JLTR9        |    | 1).DRL WHITE :30W 1*30LED<br>2).TURNING YELLOW FLASH :18W 1*18LED<br>3) With rebreather:<br>better waterproof, dispelling fog inside<br>COMPATIBILITY<br>JEEP WRANGLER JL:Fits: 2018+                                                                                         | for Rubicon, Overland,<br>Sahara        | 71        | PAIR               | 6 pair/CTN<br>CTN size:60*29*47cm<br>G.W.: 12.5KG   |
| MS-JL01-FG30A   |    | Cups option:Chorm/Black<br>led and Lumen: 6LEDX5W, 1200 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC                                                                                                                                                                    | JL fog light                            | 21        | PAIR               | 12 pair/CTN<br>CTN size:54*40*40cm<br>G.W.: 15.1KG  |
| MS-JL01-FG30A-1 |    | Cups option:Chorm/Black<br>led and Lumen: 6LEDX5W, 1200 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC                                                                                                                                                                    | JL fog light                            | 24        | PAIR               | 12 pair/CTN<br>CTN size:54*40*40cm<br>G.W.: 15.1KG  |
| MS-JL02-FG02    |    | Cups option:Chorm/Black<br>led and Lumen: 17W, 1200 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC                                                                                                                                                                        | JL fog light                            | 28        | PAIR               | 12 pair/CTN<br>CTN size:54*40*40cm<br>G.W.: 15.1KG  |
| MS-FG30E        |    | Cups option:Chorm/Black<br>led and Lumen: 17W, 1200 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC<br>Housing Material :Aluminum                                                                                                                                          | 4 inch for Jeep JK                      | 24        | PAIR               | 12 pair/CTN<br>CTN size:59*25*36cm<br>G.W.: 11.7KG  |
| MS-FG30A        |    | 4 inch<br>FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door                                  |                                         | 19        | PAIR               | 12 pair/CTN<br>CTN size:59*25*36cm<br>G.W.: 12.4KG  |
| MS-FG30A-1      |   | 4 inch with halo<br>FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door                        |                                         | 23        | DRL                | 12 pair/CTN<br>CTN size: 59*25*36cm<br>G.W.: 13.5KG |
|                 |                                                                                     |                                                                                                                                                                                                                                                                               |                                         | 23        | DRL+Turn<br>signal |                                                     |
| MS-RGB30A-1     |  | Multi Function RGB 4 inch Phone Control<br>FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door |                                         | 45        | PAIR               | 8 pair/CTN<br>CTN size:48*43*28cm<br>G.W.: 11.5KG   |
| MS-FG30F        |  | Cups option:Chorm/Black<br>led and Lumen: 17W, 1300 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC<br>Housing Material :Aluminum                                                                                                                                          | 4.5 inch for harley                     | 24        | PAIR               | 12 pair/CTN<br>CTN size: 59*25*36cm<br>G.W.: 11.3KG |
| MS-FG30B        |  | 4.5 inch for motorcycle                                                                                                                                                                                                                                                       |                                         | 20        | PAIR               | 12 pair/CTN<br>CTN size: 59*25*36cm<br>G.W.: 11.3KG |
| MS-FG30B-1      |  | 4.5 inch for motorcycle with halo ring                                                                                                                                                                                                                                        |                                         | 23        | DRL                | 12 pair/CTN<br>CTN size: 59*25*36cm<br>G.W.: 11.5KG |
| MS-FG30C        |  | Cups option:Black<br>led and Lumen: 1LEDX15W, 600 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC<br>Housing Material :Aluminum                                                                                                                                            | 4.5 inch<br>for motorcycle              | 24        | PAIR               | 12 pair/CTN<br>CTN size: 40*41*30cm<br>G.W.: 11.4KG |
| MS-FG30D        |  | Cups option:lack<br>DRL<br>led and Lumen: 1LEDX15W, 600 LM<br>IP : IP65<br>Ring Color:<br>lens Material:PC                                                                                                                                                                    | with halo<br>4.5 inch<br>for motorcycle | 26        | PAIR               | 12 pair/CTN<br>CTN size: 40*41*30cm<br>G.W.: 11.7KG |
| MS-FG31A        |  |                                                                                                                                                                                                                                                                               | 4.5 inch<br>for motorcycle              | 16        | PAIR               | 12 pair/CTN<br>CTN size: 40*41*30cm<br>G.W.: 11.7KG |
| MS-TM0511       |  | Cups option:Black/CHROM<br>27W<br>Beam led and Lumen: 1LEDX12W,<br>3LEDX5W 2500LM<br>IP : IP65<br>lens Material:PC                                                                                                                                                            |                                         | 33        | PAIR               | 12 pair/CTN<br>CTN size: 62*33*38cm<br>G.W.: 11.7KG |

|                        |                                                                                     |                                                                                                                                                                                                                                                                              |                                                                                                              |     |      |                                                     |
|------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----|------|-----------------------------------------------------|
| MS-TM1619              |    | Cups option:Black/CHROM<br>27W<br>Beam led and Lumen: 1LEDX12W,<br>3LEDX5W 2500LM<br>IP : IP65<br>lens Material:PC                                                                                                                                                           |                                                                                                              | 33  | PAIR | 12 pair/CTN<br>CTN size: 66*26*39cm<br>G.W.: 9.8KG  |
| MS-F150A               |    | 15W each, total 30W<br>600LM each, total 1200LM<br>H10 plug<br>Fitment: 2015 up FORD F150, 2015 2016 2017 Ford F150<br>( Ford F-150 2015+ (all trim levels) Super Duty 2017-2018 )                                                                                           |                                                                                                              | 30  | PAIR | 12 pair/CTN<br>CTN size: 48*43*30cm<br>G.W.: 10.6KG |
| MS-F150B               |    | 15W each, total 30W<br>600LM each, total 1200LM<br>H10 plug<br>Fitment: 2007-2014 FORD F150, ( Ford F-150 2011-2014 (07-10 req.<br>one Mounting Bracket)<br>Ford Ranger 2008-2011<br>Ford Expedition 2007-2015                                                               |                                                                                                              | 33  | PAIR | 12 pair/CTN<br>CTN size: 62*24*44cm<br>G.W.: 10.8KG |
| MS-F150C               |    | Cups option:Black 36W<br>Beam led and Lumen: 3LEDX12W, 2200LM<br>IP : IP65 lens Material:PC<br>Housing Material :Aluminum<br>Fitment: 2015 up FORD F150, 2015 2016 2017 Ford F150<br>( Ford F-150 2015+ (all trim levels) Super Duty 2017-2018 )                             |                                                                                                              | 33  | PAIR | 12 pair/CTN<br>CTN size: 47*41*29cm<br>G.W.: 10.5KG |
| MS-F150D               |    | Cups option:Black 36W<br>Beam led and Lumen: 3LEDX12W, 2200LM<br>IP : IP65 lens Material:PC<br>Housing Material :Aluminum<br>Fitment: 2007-2014 FORD F150, ( Ford F-150 2011-2014 (07-10 req.<br>one Mounting Bracket)<br>Ford Ranger 2008-2011<br>Ford Expedition 2007-2015 |                                                                                                              | 33  | PAIR | 12 pair/CTN<br>CTN size: 62*24*44cm<br>G.W.: 10.8KG |
| MS-FPL01               |    | FITMENT: 2007 2008 2009 2010 2011<br>2012 2013 2014 2015 2016 2017 2018<br>Ford Edge, 2005-2014 Ford F-150, 2004<br>Ford F-150 Heritage, 2003-2018 Ford<br>Expedition, 2011-2018 Ford Explorer,<br>2009-2017 Ford Flex, 2013-2018 Ford                                       | LED Side Mirror Puddle<br>Lights for FORD                                                                    | 4.5 | PAIR | 60 pair/CTN<br>CTN size: 39*21*24cm<br>G.W.: 4 KG   |
| MS-0715R               |   | 1).Watt:12W 1*12W<br>REPLACES CHEVY PART #GM2590104<br>AVALANCHE:2007-2015<br>CAMARO:2010-2013 (Non-RS)<br>COLORADO:NOT COMPATIBLE<br>SUBURBAN:2007-2014                                                                                                                     | Chevy Silverado fog lights                                                                                   | 33  | PAIR | 12 pair/CTN<br>CTN size: 59*24*36cm<br>G.W.: 7.6 KG |
| MS-0716S               |  | 1).Watt:36W 3*16W<br>COMPATIBILITY<br>AVALANCHE: 2007-2015<br>SILVERADO : 2007-2016<br>SUBURBAN: 2007-2017                                                                                                                                                                   | Chevy Silverado fog lights                                                                                   | 40  | PAIR | 8 pair/CTN<br>CTN size: 53*47*26cm<br>G.W.: 12.5 KG |
| MS-DR0916              |  | 1).Watt:36W 3*12W<br>2) With rebreather: better waterproof,<br>dispelling fog inside<br>Fitment:                                                                                                                                                                             | Dodge Fog Lamp                                                                                               | 66  | PAIR | 4 pair/CTN<br>CTN size: 55*36*45cm<br>G.W.: 12 KG   |
| MS-DR1317              |  | Dodge Ram 1500 Pickup 2013 2014 2015<br>2016 2017<br>(REPLACES PART<br>#68104821AC, 68104820AC<br>RAM 1500:2013-2018<br>RAM 2500:Not Applicable<br>RAM 3500:Not Applicable)                                                                                                  | Dodge Fog Lamp                                                                                               | 66  | PAIR | 4 pair/CTN<br>CTN size: 47*37*49cm<br>G.W.: 10 KG   |
| MS-DR1523              |  | Power: 63W*2pcs<br>Lumen: 2500LM*2pcs<br>Led quantity: 12W*4pcs, 5W*3pcs<br>Fitment: 2002-2008 Dodge Ram 1500<br>2003-2009 Dodge Ram 2500/3500<br>2004-2006 Dodge Durango New Body<br>Style                                                                                  | 2002-2008 Dodge Ram<br>1500<br>2003-2009 Dodge Ram<br>2500/3500<br>2004-2006 Dodge<br>Durango New Body Style | 40  | PAIR | 8 pair/CTN<br>CTN size: 45*45*36cm<br>G.W.: 11.8KG  |
| MS-DR185               |  | Fitment:<br>2003-2018 Dodge Ram 1500 2500 3500<br>Application:<br>License plate lights, pickup truck with rear<br>step bumper                                                                                                                                                | LED License Plate Light<br>for Dodge Ram                                                                     | 11  | PAIR | 50 pair/CTN<br>CTN size: 39*21*24cm<br>G.W.: 13.5KG |
| MS-BW001               |  |                                                                                                                                                                                                                                                                              | for BMW                                                                                                      | 31  | SET  | 12 set/CTN<br>CTN size: 49x31x44CM<br>G.W.: 18.6KG  |
| MS-HV125               |  | WATT: 9led X3W White CREE&2led<br>X1W YELLOW<br>Voltage: DC12V<br>LED: CREE LED<br>COLOR TEMPTURE: WHITE AND<br>YELLOW<br>Material: PMMA                                                                                                                                     |                                                                                                              | 20  | PAIR | 8pcs/CTN<br>CTN size: 45*45*36cm<br>G.W.: 10.7KG    |
| MS-1156R1<br>MS-1157R1 |  | Front1157 base and Rear 1156 baseLED<br>Turn Signals for Harley Davidson<br>Softail/Road King/Ultra Classic/Road<br>Glide/Ultra Limited/Electra Glide<br>1156-red to red<br>1157-white to yellow                                                                             | with cover                                                                                                   | 17  | PAIR | 40 pair/CTN<br>CTN size: 45*45*31cm<br>G.W.: 9KG    |

|                            |                                                                                     |                                                                                                                                                                                                                                                 |                                                                                |     |      |                                                     |
|----------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----|------|-----------------------------------------------------|
| MS-1156R2<br>MS-1157R2     |    | its 94-12 FLSTC (Heritage Softail Classic) ; 94-96 FLSTN (Softail Deluxe); 94-12 FLHTC (Electra Glide Classic), FLHTCU (Ultra Classic), FLHTK (Ultra Limited); 94-09 FLHT (Electra Glide Standard); 98-03 FLTR (Road Glide); 89-96 FLTCU (Ultra | without cover                                                                  | 16  | PAIR | 40 pair/CTN<br>CTN size: 45*45*31cm<br>G.W.: 9.1KG  |
| MS-1156H1<br>MS-1157H1     |    | 2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal                                                                                                                                                        |                                                                                | 10  | PAIR | 100 pair/CTN<br>CTN size: 39*39*23cm<br>G.W.: 5.6KG |
| MS-1156H2<br>MS-1157H2     |    | 2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal                                                                                                                                                        |                                                                                | 5   | PAIR | 100 pair/CTN<br>CTN size: 39*39*23cm<br>G.W.: 5.6KG |
| MS-1156H2-B<br>MS-1157H2-B |    | 2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal                                                                                                                                                        |                                                                                | 6   | PAIR |                                                     |
| MS-1156H3<br>MS-1157H3     |    | 2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal                                                                                                                                                        |                                                                                | 11  | PAIR |                                                     |
| MS-SG15                    |    |                                                                                                                                                                                                                                                 | LED White Running Amber Turn Singal light for Harley-Davidson Road Glide 2015+ | 35  | SET  | 20 pair/CTN<br>CTN size: 49*41*32cm<br>G.W.: 8.5 KG |
| MS-JL-FFL02                |    | 1).Watt:YELLOW 13.5W 0.5W *27<br>Fitment: JL wrangler 2018+, Gladiator JT 2018+                                                                                                                                                                 | LED Sidemarkers for 2018+ Jeep JL Wrangler and GLADIATOR JT                    | 18  | PAIR | 28 pair/CTN<br>CTN size: 42*28*31cm<br>G.W.: 5.4KG  |
| MS-JL-FFL01                |   | Turn signal for Jeep Wrangler JL                                                                                                                                                                                                                | LED Sidemarkers for 2018+ Jeep JL Wrangler                                     | 24  | PAIR | 28 pair/CTN<br>CTN size: 42*28*31cm<br>G.W.: 5.4KG  |
| MS-FFL-1                   |  | fender flare light<br>without halo                                                                                                                                                                                                              |                                                                                | 6.5 | PAIR | 40 pair/CTN<br>CTN size: 53*43*27cm<br>G.W.: 8.6KG  |
| MS-FFL-D                   |  | fender flare light<br>with halo                                                                                                                                                                                                                 |                                                                                | 8.5 | PAIR | 40 pair/CTN<br>CTN size: 53*43*27cm<br>G.W.: 8.6KG  |
| MS-FGL-1                   |  | front grill turn signal<br>without halo                                                                                                                                                                                                         |                                                                                | 6.5 | PAIR | 40 pair/CTN<br>CTN size: 34*50*51cm<br>G.W.: 13.5KG |
| MS-FGL-D                   |  | front grill turn signal<br>with halo                                                                                                                                                                                                            |                                                                                | 8.5 | PAIR | 40 pair/CTN<br>CTN size: 34*50*51cm<br>G.W.: 13.5KG |
| MS-JR1518D                 |  | Material: ABS housing + high brightness LED beads<br>Power: 0.5W-1W/each<br>Working Voltage: DC 12V<br>Rated Operating Current: Less than 150mA                                                                                                 | led daytime running lights For jeep renegade 2015-2018                         | 53  | PAIR | 1 pair/CTN<br>CTN size: 53*23*15cm<br>G.W.: 1.6 KG  |
| MS-JR1518T                 |  | Turn signa LAMP for jeep renegade cups color:clear, smoked and orange with T10 led 2 pc                                                                                                                                                         | Turn signa ILAMP for jeep renegade 2015-2018                                   | 12  | SET  | 1 pair/CTN<br>CTN size: 20*15*8cm<br>G.W.: 0.3 KG   |
| MS-JR1518F                 |  | Cups option:Black<br>led and Lumen: 30W, 1200 LM<br>IP : IP65<br>lens Material:PC<br>Housing Material :Aluminum                                                                                                                                 | 3.5 inch Fog Lamp for jeep renegade 2015-2018                                  | 50  | PAIR |                                                     |
| MS-RL004                   |  | bluetooth control<br>4 pod, RGB                                                                                                                                                                                                                 |                                                                                | 26  | SET  | 8 set/ctn G.W.: 10.3KG<br>Ctn Size: 63*28*25 CM     |
| MS-RL008                   |  | bluetooth control<br>8 pod, RGB                                                                                                                                                                                                                 |                                                                                | 47  | SET  | 6 set/ctn<br>G.W.: 14KG                             |
| MS-RL001                   |  | single color<br>white/red/yellow/blue/green                                                                                                                                                                                                     |                                                                                | 4   | PCS  | 48pcs/ctn G.W.: 12KG<br>Ctn Size: 41*39*30 CM       |

# MorSun Technology Co.,LTD

| MODEL      | PICTRES                                                                             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                          | LUMEN                                     | EXW Price |      | PACKING                                             |
|------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|-----------|------|-----------------------------------------------------|
| MS-JL108   |    | Material: ABS Plastic<br>Lens Material: PMMA<br>Operating Voltage: 9-32V DC<br>Waterproof Rate: IP 67<br>Light Color:<br>Red(Brake) 29w 58*0.5w<br>Red(running ) 28w 56*0.5w<br>Red ( turn signal) 3W,6*0.5w                                                                                                                                         | tail light for Jeep <b>JL</b>             | <b>79</b> | PAIR | 3 pair/CTN<br>CTN size: 45*26*52cm<br>G.W.: 11.7 KG |
| MS-JL-TL01 |    | 1, original Wrangler LED taillights, the U.S. is red version, European is yellow version.<br>2,can be used for 2007+Wrangler vehicles .<br>3, just plug and play, no need to change the original car circuit wires.<br>4, LED taillights,nice apperence<br>5, Led lifetime: 50,000 hours.                                                            | tail light for Jeep <b>JL</b>             | <b>66</b> | PAIR | 4 pair/CTN<br>CTN size: 52*27*58cm<br>G.W.: 19.5KG  |
| MS-JLRBB01 |    | Rear Bumper LED FOG Light for Jeep Wrangler JL 2018+                                                                                                                                                                                                                                                                                                 |                                           | <b>25</b> | PAIR | 9 pair/CTN<br>CTN size: 53*30*45cm<br>G.W.: 7.2 KG  |
| MS-JLB9    |    | 1).Watt:RED 2.5W 5*0.5w<br>Fitment: JL wrangler 2018+                                                                                                                                                                                                                                                                                                | LED Brake Light for Jeep Wrangler JL 2018 | <b>12</b> | PCS  | 45pcs/CTN<br>CTN size: 145*39*23cm<br>G.W.: 12.8 KG |
| MS-JL-BL01 |    | Tail light for Jeep Wrangler <b>JL</b>                                                                                                                                                                                                                                                                                                               |                                           | <b>24</b> | PCS  | 20pcs/CTN<br>CTN size: 60*40*40cm<br>G.W.: 8.5KG    |
| MS-JK7520  |   | 1, original Wrangler LED taillights, the U.S. is red version, European is yellow version.<br>2,can be used for 2007+Wrangler vehicles .<br>3, just plug and play, no need to change the original car circuit wires.<br>4, LED taillights,nice apperence<br>5, Led lifetime: 50,000 hours.                                                            | for Jeep JK                               | <b>59</b> | PAIR | 8 pair/CTN<br>CTN size: 63*36*25cm<br>G.W.: 15.2KG  |
| MS-0297    |  | 1, original Wrangler LED taillights, the U.S. is red version, European is yellow version.<br>2,can be used for 2007+Wrangler vehicles .<br>3, just plug and play, no need to change the original car circuit wires.<br>4, LED taillights,nice apperence<br>5, Led lifetime: 50,000 hours.                                                            | for Jeep JK                               | <b>33</b> | PAIR | 8 pair/CTN<br>CTN size: 63*36*25cm<br>G.W.: 15.2KG  |
| MS-TL      |  | 1, original Wrangler LED taillights, the U.S. is red version, European is yellow version.<br>2,can be used for 2007+Wrangler vehicles .<br>3, just plug and play, no need to change the original car circuit wires.<br>4, LED taillights,nice apperence<br>5, Led lifetime: 50,000 hours.                                                            | for Jeep JK                               | <b>36</b> | PAIR | 8 pair/CTN<br>CTN size: 63*36*25cm<br>G.W.: 15.2KG  |
| MS-TL02    |  | Aftermarket High Performance Integrated 2007~2015 Jeep Wrangler JK LED Tail Assemblies Light with Brake Reverse Backup Turn Signal Light Function<br>Simple installation - Plug & Play, Water-proof IP67, Weatherproof, Shock-proof, UV protection polycarbonate lenses,Tough ABS material instead of plastic<br>Guaranteed To Improve Your Vehicles | for Jeep JK                               | <b>38</b> | PAIR | 8 pair/CTN<br>CTN size: 54*36*52cm<br>G.W.: 12KG    |
| MS-TL03    |  |                                                                                                                                                                                                                                                                                                                                                      | for Jeep JK                               | <b>35</b> | PAIR | 8 pair/CTN<br>CTN size: 54*36*52cm<br>G.W.: 12KG    |
| MS-TL04    |  | Functions as stop turn tail back-up and reflector light<br>Acrylic lens is screwed on to the housing<br>Features chrome reflector inside the lens which is MUCH brighter and MORE visible from different angle<br>12 Clear Lens Red square LED (stop turn and tail) and 9 White LED (back-up)<br>Universal for 12V vehicles like Truck.              | for Jeep CJ YJ                            | <b>27</b> | PAIR | 16 pair/CTN<br>CTN size: 58*38*39cm<br>G.W.: 15.2KG |

|           |                                                                                     |                                                                                                                                                                                                                                                                       |                                  |    |      |                                                      |
|-----------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|----|------|------------------------------------------------------|
| MS-TL05   |    | jeep JK wrangler 2007-2015                                                                                                                                                                                                                                            | for Jeep JK                      | 40 | PAIR | 18 pair/CTN<br>CTN size: 83*65*26cm<br>G.W.: 15.2KG  |
| MS-TL06   |    | jeep JK wrangler 2007-2015                                                                                                                                                                                                                                            | for Jeep JK                      | 38 | PAIR | 10 pair/CTN<br>CTN size: 29*87*50cm<br>G.W.: 19.1 KG |
| MS-TL14   |    | jeep JK wrangler 2007-2015                                                                                                                                                                                                                                            | for Jeep JK                      | 58 | PAIR |                                                      |
| MS-TL15   |    | for Jeep JK                                                                                                                                                                                                                                                           |                                  | 67 | PAIR |                                                      |
| MS-TL16   |   | for Jeep JK                                                                                                                                                                                                                                                           |                                  | 45 | PAIR | 4 pair/CTN<br>CTN size: 43*42*28cm<br>G.W.: 7.4 KG   |
| MS-BL     |  | LED Brake Light For Jeep Wrangle(high mounted stop lamp)<br>Type:Brake Light<br>Voltage:10-30V DC<br>Lamp Type:LED<br>Car Make:Jeep Wrangler 07-14<br>Warranty:1year<br>Function:Brake Light<br>Life time:30000hours<br>Lens Material:Premium PMMA<br>Waterproof:IP67 | for JK                           | 8  | PCS  | 20pcs/CTN<br>CTN size: 60*40*40cm<br>G.W.: 8.5KG     |
| MS-BL03   |  | ED Smoke Brake Turn<br>Tail Light For Harley<br>Touring Electra Glide<br>Ultra Classic<br>ftermarket Parts 100%                                                                                                                                                       |                                  | 69 | PCS  | 1pcs/CTN<br>CTN SIZE: 67x20x16CM<br>GW.W: 1.7KG      |
| MS-BL04   |  | Led tail Light for harley                                                                                                                                                                                                                                             |                                  | 6  | PCS  |                                                      |
| MS-BL05   |  | 2014-2018 Street Glide<br>2015-2018 Road Glide<br>(Note: Dose not use HDI Models)                                                                                                                                                                                     | 6.3/4"x3.1/2"x2.1/2" (L x W x D) | 19 | PCS  |                                                      |
| MS-TL-883 |  | tail light for HARLEY 883<br>. voltage: DC12V<br>. ip atigr: IP 67<br>. clor: red/black/transparent<br>. color temprature: 6000K<br>. housing material:die-cast alumn<br>. lens material:PC<br>. life span: 30000H<br>For Harley Davidson 2004-2014                   |                                  | 15 | PCS  |                                                      |

| MODEL       | PICTRES                                                                             | DESCRIPTION                                                                                                                                                                                                             | LUMEN                               | EXW Price |      | PACKING                                             |
|-------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------|------|-----------------------------------------------------|
| MS-JL-7B01  |    | 1) Size:7 inch<br>2) Fits 2018+JL<br>3) Requires OEM headlight assembly<br>5) No drilling required<br>6) Combination of Aluminum and Steel /Powder coated textured                                                      | for Jeep JL                         | 25        | PAIR | 8 pair/CTN<br>CTN size: 54*54*31CM<br>G.W.: 9KG     |
| MS-JL01     |    |                                                                                                                                                                                                                         | for Jeep JL                         | 4         | PAIR |                                                     |
| MS-JL-BR01  |    |                                                                                                                                                                                                                         | JL fog light bracket                | 6         | PAIR | 24 pair/CTN<br>CTN size: 60*36*36CM<br>G.W.: 5.1KG  |
| MS-JL-BR02  |    |                                                                                                                                                                                                                         | JL fog light bracket                | 6         | PAIR |                                                     |
| MS-B-7INCH  |    | for motorcycle                                                                                                                                                                                                          | 7 inch bracket                      | 5         | PCS  | 30pcs/CTN<br>CTN size: 67*50*37cm                   |
| MS-B-5.75IN |                                                                                     |                                                                                                                                                                                                                         | 5.75 inch bracket                   | 14        | PCS  | 30pcs/CTN<br>CTN size: 63*36*45cm                   |
| MS-cup001   |    | trim ring for headlight                                                                                                                                                                                                 | 5.75 inch                           | 13        | PCS  | 24pcs/CTN<br>CTN size: 45x40x40CM                   |
| MS-cup002   |                                                                                     | trim ring for headlight                                                                                                                                                                                                 | 7 inch                              | 13        | PCS  | 32pcs/CTN<br>CTN size: 64x51x52CM                   |
| MS-cup003   |                                                                                     | trim ring for fog light                                                                                                                                                                                                 | 4.5 inch                            | 12        | PAIR |                                                     |
| MS-P1       |    | ONLY bracket, NO light holder<br>2006-2016 street glide FLHX<br>2014-2017 Street Glide Special<br>FLHXS 2012 Harley CVO Street<br>Glide FLHXSE3 011 Harley<br>CVO Street Glide FLHXSE2<br>2016-2017 Harley Street Glide |                                     | 48        | SET  | 30 set/CTN<br>G.W.: 26.8KG<br>CTN size: 52x72x40CM  |
| MS-P3       |   | Grab handrail for Jeep 07-17                                                                                                                                                                                            |                                     | 25        | SET  | 10 set/CTN<br>G.W.: 23KG<br>CTN size: 48X34X35CM    |
| MS-P5       |  | switch device for Jeep JK                                                                                                                                                                                               |                                     | 16        | SET  |                                                     |
| MS-7HBB     |  | 7 inch housing                                                                                                                                                                                                          | black: \$18/pcs<br>chrome: \$23/pcs |           | PCS  | 6 PCS/CTN<br>CTN size: 47x24x49CM<br>G.W.: 8.7KG    |
| MS-5.75HB1  |  | 5.75 inch housing                                                                                                                                                                                                       | black/chrome                        | 10        | PCS  |                                                     |
| MS-5.75HBB  |  | 5.75" headlight Holder                                                                                                                                                                                                  | black/chrome                        | 11        | PCS  | 30 PCS/CTN<br>CTN size: 51x54x38CM<br>G.W.: 17.3KG  |
| MS-4.5HBB   |  | 4.5" fog light holder                                                                                                                                                                                                   | black/chrome                        | 10        | PAIR | 18 pair/CTN<br>CTN size: 45*40*41cm<br>G.W.: 12.6KG |
| MS-AD01     |  | Adaptor for harley H4                                                                                                                                                                                                   |                                     | 1.5       | PCS  |                                                     |
| MS-JLCW01   |  | antiflicker kit for JL/JT headlight                                                                                                                                                                                     |                                     | 4.3       | PCS  |                                                     |
| MS-JKCW01   |  | antiflicker kit for JK headlight                                                                                                                                                                                        |                                     | 3         | PCS  |                                                     |