


MorSun Technology Co.,LTD


MODEL	PICTRES	DESCRIPTION	LUMEN	EXW Price		PACKING
MS-GX9		1.Watt:100W 2.High beam:100W 6500LM 3.Low beam:30w 3000lm 4.DRL:22W 5.9inch fits JEEP Wrangler JL directly 6.With rebreather: better waterproof, dispelling fog inside 7.EMC inside: no Electromagnetic Interference	for Jeep JL	248	PAIR	
MS-JL-1088		1) Watt: 108W 2) High beam: 108W 6500LM 12W*3led+3W*24led 3) Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits 2018+ JEEP Wrangler JL with bracket 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference	for Jeep JL	125	PAIR	1 set/CTN CTN size: 53*28*14CM G.W.: 3.5KG
MS-1088B		1) Watt: 108W High beam: 108W 6500LM 12W*3led+3W*24led Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits JK and Harley 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference 8) unique crystalline cups 9) Certificate: DOT E-Mark	with halo (blue-white)	99	PAIR	4 set/CTN CTN size: 43*42*26CM G.W.: 8.9KG
MS-1088WY		1) Watt: 108W High beam: 108W 6500LM 12W*3led+3W*24led Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits JK and Harley 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference 8) unique crystalline cups 9) Certificate: DOT E-Mark	with halo (white-yellow)	99	PAIR	4 set/CTN CTN size: 43*42*26CM G.W.: 8.9KG
MS-1088WY-1		1) Watt: 108W High beam: 108W 6500LM 12W*3led+3W*24led Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits JK and Harley 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference 8) unique crystalline cups 9) Certificate: DOT E-Mark	with halo (white-yellow)	108	PAIR	4 set/CTN CTN size: 43*42*26CM G.W.: 8.9KG
MS-1088D		1) Watt: 108W High beam: 108W 6500LM 12W*3led+3W*24led Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits JK and Harley 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference 8) unique crystalline cups 9) Certificate: DOT E-Mark	with halo (white DRL)	99	PAIR	4 set/CTN CTN size: 43*42*26CM G.W.: 8.9KG
MS-1088N		1) Watt: 108W High beam: 108W 6500LM 12W*3led+3W*24led Low beam : 36W 3000LM 12 * 3led 4) DRL: 90LED 6W 5) Fits JK and Harley 6) With rebreather: better waterproof, dispelling fog inside 7) EMC inside: no Electromagnetic Interference 8) unique crystalline cups 9) Certificate: DOT E-Mark	NO halo	98	PAIR	4 set/CTN CTN size: 43*42*26CM G.W.: 8.9KG
MS-880N		Aluminum housing, PC lens Watt: 45W Led Qty: 9*5W Led chip: Osram Cup color: black, chrome Lumen: 3620LM High, 2480LM Low Diameter: 7 inch	07-15 Jeep Wrangler Unlimited JK 4 Door 07-15 Jeep Wrangler JK 2 Door 04-06 Jeep Wrangler LJ Unlimited 97-06 Jeep Wrangler TJ 81-85 Jeep CJ-8 Scrambler	35	PAIR	4 pair/CTN CTN size: 43*26*42CM G.W.: 9KG
MS-881W		Aluminum housing, PC lens Watt: 45W Led Qty: 9*5W Led chip: Osram Cup color: black, chrome Lumen: 3620LM High, 2480LM Low Diameter: 7 inch Halo color: white to yellow	07-15 Jeep Wrangler Unlimited JK 4 Door 07-15 Jeep Wrangler JK 2 Door 04-06 Jeep Wrangler LJ Unlimited 97-06 Jeep Wrangler TJ 81-85 Jeep CJ-8 Scrambler	41	PAIR	4 pair/CTN CTN size: 43*26*42CM G.W.: 9.5KG
MS-880T		1pc 7inch(no angel eye) + 2pc 4.5inch		37	PAIR	4 set/CTN CTN size: 45*26*50CM G.W.: 11.7KG

MS-881T		1pc 7inch with angel eye + 2pc 4.5inch		40	SET	4 set/CTN CTN size: 45*26*50CM G.W.: 11.7KG
MS-8088C		7 inch, for car(turn both) (high beam: 47W low beam: 25W)		34	PCS	8pcs/CTN CTN size: 43*43*28cm G.W.: 9.8KG
MS-8088C-RL		7 inch, for car (turn one side)		34	PCS	8pcs/CTN CTN size: 43*43*28cm G.W.: 9.8KG
MS-8088M		7 inch, for motorcycle (turn when leaning)		63	PCS	CTN SIZE: 43*44*30CM G.W.: 10.1KG 8PCS/CTN
MS-5D-A1		7 inch 126W-5D Philips LED		41	PAIR	8pcs/CTN CTN size: 42*43*27cm G.W.: 9.4KG
MS-HL75A		7 inch		30	PAIR	4 pair/CTN CTN size: 42*41*20cm G.W.: 9.8KG
MS-HL90B		7 inch(18pcs led middle 6pcs led-low beam:osram others-high beam:cree)		38	PAIR	8pcs/CTN CTN size: 43*42*29cm G.W.: 9.8KG
MS-HL75B		7 inch		55	PAIR	8pcs/CTN CTN size: 43*42*29cm G.W.: 9.8KG
MS-HL80B		7 inch		50	PAIR	8pcs/CTN CTN size: 43*43*28cm G.W.: 10.3KG
MS-7080		7 inch High Lumen		36	PAIR	3 pair/CTN Ctn Size: 47*44*22CM Gross weight: 9.5 KG
MS-7080-C		7 inch Low Lumen		32	PAIR	
MS-7080D		7 inch High Lumen		41	PAIR	3 pair/CTN Ctn Size: 47*44*22CM Gross weight: 9.5 KG
MS-7080D-C		7 inch Low Lumen		37	PAIR	
MS-6080		7 inch	cup color: red, blue, orange	42	PAIR	4 pair/CTN CTN size: 42*28*51cm G.W.: 10.8KG
MS-6081		7 inch	cup color: red, blue, orange	46	PAIR	4 pair/CTN CTN size: 42*28*51cm G.W.: 10.8KG

MS-R7060		7 inch	cup color: red, blue, orange	46	PAIR	4 pair/CTN CTN size: 42*28*51cm G.W.: 10.8KG
MS-R7061		7 inch	cup color: red, blue, orange	49	PAIR	4 pair/CTN CTN size: 42*28*51cm G.W.: 10.8KG
MS-1680		7 inch		55	PAIR	4 pair/CTN CTN size: 43*26*42CM G.W.: 10.8KG
MS-1681		7 inch NO RGB (white turn white white turn amber)		62	PAIR	4 pair/CTN CTN size: 43x26x42CM G.W.: 9.3 KG
MS-RGB02M		Multi Function 7 inch RGB Phone App Control		78	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RGB02B		7 inch RGB Phone App Control		56	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RGBST02M		RGB Headlight Multi function 1X4(2FOGS+2HEADLIGHTS)		114	PAIR	
MS-RBG03M		Multi Function 7 inch RGB Phone App Control		80	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RBG03B		7 inch RGB Phone App Control RGB		60	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RGBST03M		RGB Headlight Multi function 1X4(2FOGS+2HEADLIGHTS)		116	PAIR	



MS-RGB168A		7 inch built-in driver RGB		37	PCS	4 pair/CTN CTN size: 43*27*51CM G.W.: 12.6KG
MS-RGB168B		7 inch RGB Phone App Control RGB		69	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RGB168M		Multi Function 7 inch RGB Phone App Control		88	PAIR	4 pair/CTN CTN size: 54x44x34CM G.W.: 15.7KG
MS-RGBST168M		RGB Headlight Multi function 1X4(2FOGS+2HEADLIGHTS)		124	PAIR	
MS-0057		Led Qty: 9*5W Osram Watt: 45W Lumen: high 3250lm, low 2250lm IP rate: IP67	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL	21	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-0057C		Led Qty: 9*5W CREE Watt: 45W Lumen: high 3250lm, low 2250lm IP rate: IP67	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL	16	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-0057D		Led Qty: 9*5W Osram Watt: 45W Lumen: high 3250lm, low 2250lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black Volt: 10-30V	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	30	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-0057DD		Led Qty: 9*5W Osram Watt: 45W Lumen: high 3250lm, low 2250lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black Volt: 10-30V	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	30	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-5.7R-001		Led Qty: 8 PCS*5W CREE Watt: 40W Lumen: high 1770lm, low 1350lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black Volt: 10-30V	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	18	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-5.7R-002		Led Qty: CREE, 2*10W, 4*5W Watt: 40W Lumen: high 1770lm, low 1350lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black Volt: 10-30V	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	19	PCS	8pcs/CTN CTN size: 40*40*26cm G.W.: 7.5KG
MS-5.7R-003		Led Qty: CREE, 2*10W, 4*5W Watt: 40W Lumen: high 1770lm, low 1350lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black Volt: 10-30V	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	19	PCS	8pcs/CTN CTN size: 40*40*26cm G.W.: 7.8KG
MS-5.7R-004		Led Qty: CREE, 2*10W, 4*5W Watt: 40W Lumen: high 1770lm, low 1350lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	21	PCS	12pcs/CTN CTN size: 40*40*33cm G.W.: 11KG
MS-5080D		Led Qty: high 2*12W; low 1*12W; 60*2835=12W Watt: 48W Lumen: high 2100lm, low 1050lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black	96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF 99-2000 FXR2, FXR3, FXR4	21	PCS	12pcs/CTN CTN size: 37*37*38cm G.W.: 7.8KG

MS-6088M		Led Qty: 7*10W high, 4*10W low Watt: 70W Lumen: high 3250lm, low 2120lm IP rate: IP67		58	PCS	12pcs/CTN CTN size: 47*39*33cm G.W.: 11.6KG
MS-6088-RL		Led Qty: 10*12W+3*5W Watt: 120W Lumen: high 3250lm, low 2120lm IP rate: IP67	06-Later FXD, FXDL,	25	PCS	12pcs/CTN CTN size: 47*39*33cm G.W.: 11.6KG
MS-R055		5 inch double light for motorcycle halo NO		43	PAIR	12 pair/CTN size: 65*33*33cm G.W.: 14.8KG
MS-R055H		5 inch double light for motorcycle With halo		45	PAIR	12 pair/CTN size: 65*33*33cm G.W.: 14.8KG
MS-1079N		Led Qty: high 2*15W; low 1*15W; Watt: 45W Lumen: high 3240lm, low 1620lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black	7 inch NO halo	31	PCS	8 pcs/CTN CTN size: 41*42*27cm G.W.: 7.8KG
MS-1079		Led Qty: high 2*15W; low 1*15W; 24*2835=5W Watt: 50W Lumen: high 3240lm, low 1620lm	7 inch with halo	32	PCS	8 pcs/CTN CTN size: 41*42*27cm G.W.: 7.8KG
MS-1057		Led Qty: high 2*15W; low 1*15W; 24*2835=5W Watt: 50W Lumen: high 3240lm, low 1620lm	5.75 inch with halo 96-Later XL1200C 98-Later XL883C 94-08 FXDWG	31	PCS	12 pcs/CTN CTN size: 37*37*33cm G.W.: 9.6KG
MS-1057N		Led Qty: high 2*15W; low 1*15W; Watt: 45W Lumen: high 3240lm, low 1620lm IP rate: IP67 Housing: Aluminum Lens: PC Cup color: chrome, black	5.75 inch NO halo 96-Later XL1200C 98-Later XL883C 94-08 FXDWG 06-Later FXD, FXDL, FXDC, FXDB, FXD35, FXDSE, FXDF	30	PCS	12 pcs/CTN CTN size: 37*37*33cm G.W.: 9.6KG
MS-701		7 inch		74	PAIR	
MS-501		5.75 inch 42W		33	PCS	20 pair/CTN size: 46*36*37cm G.W.: 20.4KG
MS-451		4.5 inch 30W		48	PAIR	20 pair/CTN size: 39*39*26cm G.W.: 12.5KG
MS-G2001B		5.75 inch/pcs double headlight		85	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG
MS-G2001D		5.75 inch/pcs double headlight		92	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG
MS-G1001		5.75 inch/pcs double headlight		63	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG

MS-G1001D			5.75 inch/pcs double headlight	70	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG
MS-G2002		5.75 inch, for motorcycle (No gravity sensor) led QTY: 12*10W, 3*5W		83	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG
MS-G2002-RK		5.75 inch, for motorcycle (gravity sensor) led QTY: 12*10W, 3*5W chip code: 1860		109	SET	4 set/CTN CTN size: 42*28*58 G.W.: 12.3KG
MS-VROD01 turn both sides		turn both sides at the same time	Cups option:Chorm/Black 7 inch DRL/WHITE High Beam led and Lumen: 997LM 10PC OSRAM Low beam Led and Lumen: 670LM 6 PC OSRAM IP : IP65 Ring Color:white and yellow lens Material:PC	45	PCS	8pcs/CTN CTN size: 45*28*57cm G.W.: 15KG
MS-VROD01-RK adaptive		adaptive		63	PCS	8pcs/CTN CTN size: 45*28*57cm G.W.: 15KG
MS-4686		4x6 inch		36	PAIR	10 pair/CTN CTN size:54x31x47CM G.W.: 15.4KG
MS-4686D		4x6 inch with halo		51	PAIR	10 pair/CTN CTN size:54x31x47CM G.W.: 15.4KG
MS-4682		4x6 inch		34	PAIR	10 pair/CTN CTN size:54x31x47CM G.W.: 15.4KG
MS-4682D		4x6 inch with halo		49	PAIR	10 pair/CTN CTN size:54x31x47CM G.W.: 15.4KG
MS-4602		4x6 inch, 45W		18	PAIR	4 pair/CTN CTN size: 43x30x25CM G.W.: 7KG
MS-4606		4x6 inch, cree chip		53	PAIR	12pcs/CTN CTN size: 45*23*55cm G.W.: 10KG
MS-4608		4x6 inch, cree chip		25	PAIR	12pcs/CTN CTN size: 45*23*55cm G.W.: 10KG
MS-4609		4x6 inch		72	PAIR	12pcs/CTN CTN size: 45*23*55cm G.W.: 10KG
MS-S5786		5x7 inch		41	PAIR	6 pair/CTN CTN size: 49*38*32cm G.W.: 12KG
MS-S5786D		5x7 inch with halo		56	PAIR	6 pair/CTN CTN size: 49*38*32cm G.W.: 12.8KG
MS-S5788		5x7 inch		40	PAIR	8 pair/CTN CTN size: 40*36*48cm G.W.: 16.3KG

MS-S5788D		5x7 inch with halo		55	PAIR	8 pair/CTN CTN size: 40*36*48cm G.W.: 16.3KG
MS-S5782		5x7 inch		40	PAIR	8 pair/CTN CTN size: 40*36*48cm G.W.: 16.3KG
MS-S5782D		5x7 inch with halo		55	PAIR	8 pair/CTN CTN size: 40*36*48cm G.W.: 16.3KG
MS-S5701		5x7 inch, osram chip High beam: 12V @ 3.901A (46.8Watt), 24V @ 2.093A (50.2Watt) Low beam: 12V @ 1.769A (21.2Watt), 24V @ 1.029A (24.7Watt)		79	PAIR	4 pair/CTN CTN size: 50*36*32cm G.W.: 11KG
MS-S5702		5x7 inch, osram chip 30W, 15Wx2pcs		45	PAIR	4 pair/CTN CTN size: 50*36*32cm G.W.: 11.5KG
MS-S5702D		5x7 inch with halo		60	PAIR	3 pair/CTN CTN size: 47*44*22cm G.W.: 9.4 KG
MS-S5703		5x7 inch		32	PAIR	4 pair/CTN CTN size: 50*36*32cm G.W.: 11.5KG
MS-S5705		5x7 inch, 45W		18	PAIR	20pcs/CTN CTN size: 45*42*31cm G.W.: 16.3KG
MS-S5709		5x7 inch		80	PAIR	
MS-7039C		5x7 inch, 45Watt cree chip		32	PAIR	QTY: 10 pcs/ctn G.W: 0.9 kg/pcs G.W: 11 KG Ctn Size: 55*36.5*21.5CM
MS-R1000ZR		2016-2016 RZR XP 2016 RZR XP P 4 TURBO D HEADLIGHT		65	PAIR	4 pair/CTN CTN size: 63*39*35cm G.W.: 11.1KG
MS-R1000ZRD		2016-2016 RZR XP 2016 RZR XP P 4 TURBO UTV LED HEADLIGHT	DRL+Turn:79/pair RGB: 89/pair		PAIR	4 pair/CTN CTN size: 63*39*35cm G.W.: 11.1KG
MS-JR1518H		for 2015-2017 Jeep Renegade HID Conversion Kit 1. Temperature color: 5000K- 6000K and 4200LM 2. Bulb Type: HID 3. Voltage: 12V 35/45W 4. DRL: led white color	led headlights For jeep renegade 2015- 2018	248	PAIR	1 pair/CTN CTN size: 64x35x33CM G.W.: 5.7KG

MODEL	PICTRES	DESCRIPTION	LUMEN	EXW Price		PACKING
MS-JL01-FG30A-1		option:Chorm/Black len: 6LEDX5W, 1200 LM IP : IP65 Ring Color: lens Material:PC erial :Aluminum (with two bracket)	JL fog light	25	PAIR	
MS-JL01-FG30A-1		option:Chorm/Black len: 6LEDX5W, 1200 LM IP : IP65 Ring Color: lens Material:PC erial :Aluminum (with two bracket)	JL fog light	29	PAIR	
MS-JL02-FG02		Cups option:Chorm/Black led and Lumen: 17W, 1200 LM IP : IP65 Ring Color: lens Material:PC Housing Material :Aluminum (with two bracket)	JL fog light	37	PAIR	
MS-FG30E		Cups option:Chorm/Black led and Lumen: 17W, 1200 LM IP : IP65 Ring Color: lens Material:PC Housing Material :Aluminum	4 inch for Jeep JK	31	PAIR	12 pair/CTN CTN size:59*25*37cm G.W.: 10.3KG
MS-FG30A		4 inch FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door		19	PAIR	12 pair/CTN CTN size:59*25*36cm G.W.: 12.4KG
MS-FG30A-1		4 inch with halo FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door		23	DRL	12 pair/CTN CTN size: 59*25*36cm G.W.: 13.5KG
				23	DRL+Turn signal	
MS-RGB30A-1		Multi Function RGB 4 inch Phone Control FITMENT - Jeep 1997 - 2018 (Excluding Hard Rock Edition), Jeep Wrangler JK JKU TJ LJ Freedom Edition, Rubicon Sport, Sahara, Unlimited Hard Rock Edition, Willys Wheeler, Altitude, Dragon Edition, X Sport Utility 2-Door, 4-Door		45	PAIR	8 pair/CTN CTN size:48*43*28cm G.W.: 11.5KG
MS-FG30F		Cups option:Chorm/Black led and Lumen: 17W, 1300 LM IP : IP65 Ring Color: lens Material:PC Housing Material :Aluminum	4.5 inch for harley	31	PAIR	12 pair/CTN CTN size: 59*25*36cm G.W.: 11.3KG
MS-FG30B		4.5 inch for motorcycle		20	PAIR	12 pair/CTN CTN size: 59*25*36cm G.W.: 11.3KG
MS-FG30B-1		4.5 inch for motorcycle with halo ring		23	DRL	12 pair/CTN CTN size: 59*25*36cm G.W.: 11.5KG
MS-FG30C		Cups option:Black led and Lumen: 1LEDX15W, 600 LM IP : IP65 Ring Color: lens Material:PC Housing Material :Aluminum	4.5 inch for motorcycle	26	PAIR	12 pair/CTN CTN size: 40*41*30cm G.W.: 11.4KG
MS-FG30D		Cups option:lack DRL led and Lumen: 1LEDX15W, 600 LM IP : IP65 Ring Color: lens Material:PC Housing Material :Aluminum	with halo 4.5 inch for motorcycle	29	PAIR	12 pair/CTN CTN size: 40*41*30cm G.W.: 11.7KG
MS-F150A		15W each, total 30W 600LM H10 plug Fitment: 2015 up FORD F150, 2015 2016 2017 Ford F150 (Ford F-150 2015+ (all trim levels) Super Duty 2017-2018)		30	PAIR	12 pair/CTN CTN size: 47*41*29cm G.W.: 10.5KG



MS-F150B		15W each, total 30W 600LM each, total 1200LM Fitment: H10 plug 2007-2014 FORD F150, (Ford F-150 2011-2014 (07-10 req. one Mounting Bracket) Ford Ranger 2008-2011 Ford Expedition 2007-2015	33	PAIR	12 pair/CTN CTN size: 62*24*44cm G.W.: 10.8KG	
MS-F150C		Cups option:Black 36W Beam led and Lumen: 3LEDX12W, 2200LM IP : IP65 lens Material:PC Housing Material :Aluminum Fitment: 2015 up FORD F150, 2015 2016 2017 Ford F150 (Ford F-150 2015+ (all trim levels) Super Duty 2017-2018)	33	PAIR	12 pair/CTN CTN size: 47*41*29cm G.W.: 10.5KG	
MS-F150D		Cups option:Black 36W Beam led and Lumen: 3LEDX12W, 2200LM IP : IP65 lens Material:PC Housing Material :Aluminum Fitment: 2007-2014 FORD F150, (Ford F-150 2011-2014 (07-10 req. one Mounting Bracket) Ford Ranger 2008-2011 Ford Expedition 2007-2015	33	PAIR	12 pair/CTN CTN size: 62*24*44cm G.W.: 10.8KG	
MS-DR1523		Power: 63W*2pcs Lumen: 2500LM*2pcs Led quantity: 12W*4pcs, 5W*3pcs Fitment: 2002-2008 Dodge Ram 1500 2003-2009 Dodge Ram 2500/3500 2004-2006 Dodge Durango New Body Style Models Only	2002-2008 Dodge Ram 1500 2003-2009 Dodge Ram 2500/3500 2004-2006 Dodge Durango New Body Style models only	40	PAIR	8 pair/CTN CTN size: 45*45*36cm G.W.: 11.8KG
MS-BW001			for BMW	31	SET	12 set/CTN CTN size: 49x31x44CM G.W.: 18.6KG
MS-HV125		WATT: 9led X3W White CREE&2led X1W YELLOW Voltage: DC12V LED: CREE LED COLOR TEMPTURE: WHITE AND YELLOW Material: PMMA Lumen: 2160LM SUIT FOR: Ford Ranger 2008-2011		20	PAIR	8pcs/CTN CTN size: 45*45*36cm G.W.: 10.7KG
MS-1156R1 MS-1157R1		Front1157 base and Rear 1156 baseLED Turn Signals for Harley Davidson Softail/Road King/Ultra Classic/Road Glide/Ultra Limited/Electra Glide 1156-red to red 1157-white to yellow	with cover	17	PAIR	40 pair/CTN CTN size: 45*45*31cm G.W.: 9KG
MS-1156R2 MS-1157R2		its 94-12 FLSTC (Heritage Softail Classic) ; 94-96 FLSTN (Softail Deluxe); 94-12 FLHTC (Electra Glide Classic), FLHTCU (Ultra Classic), FLHTK (Ultra Limited); 94-09 FLHT (Electra Glide Standard); 98-03 FLTR (Road Glide); 89-96 FLTCU (Ultra Classic); 94-19 FLHR (Road King); 98-19 FLHRC (Road King Classic)	without cover	16	PAIR	40 pair/CTN CTN size: 45*45*31cm G.W.: 9.1KG
MS-1156H1 MS-1157H1		2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal		10	PAIR	100 pair/CTN CTN size: 39*39*23cm G.W.: 5.6KG
MS-1156H2 MS-1157H2		2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal		5	PAIR	100 pair/CTN CTN size: 39*39*23cm G.W.: 5.6KG
MS-1156H2-B MS-1157H2-B		2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal		6	PAIR	
MS-1156H3 MS-1157H3		2" LED Turn Signal Kit for Harley Davidson (Front (1157) and Rear (1156) LED Turn Signal		11	PAIR	

MS-JL-FFL01		Turn signal for Jeep Wrangler JL		24	PAIR	
MS-FFL-1		fender flare light halo without		6.5	PAIR	40 pair/CTN CTN size: 53*43*27cm G.W.: 8.6KG
MS-FFL-D		fender flare light with halo		8.5	PAIR	40 pair/CTN CTN size: 53*43*27cm G.W.: 8.6KG
MS-FGL-1		front grill turn signal without halo		6.5	PAIR	40 pair/CTN CTN size: 34*50*51cm G.W.: 13.5KG
MS-FGL-D		front grill turn signal with halo		8.5	PAIR	40 pair/CTN CTN size: 34*50*51cm G.W.: 13.5KG
MS-JR1518D		Material: ABS housing + high brightness LED beads Power: 0.5W-1W/each Working Voltage: DC 12V Rated Operating Current: Less than 150mA Current Stability: Less than +2mA (24 hours) Brightness :70-90LM (left and right strict symmetric) Color Temperature: 6000-6700K Light Color: White + Yellow	led daytime running lights For jeep renegade 2015-2018	53	PAIR	1 pair/CTN CTN size: 53*23*15cm G.W.: 1.6 KG
MS-JR1518T		Turn signa LAMP for jeep renegade cups color:clear, smoked and orange with T10 led 2 pc	Turn signa lLAMP for jeep renegade 2015-2018	12	SET	1 pair/CTN CTN size: 20*15*8cm G.W.: 0.3 KG
MS-JR1518F		Cups option:Black led and Lumen: 30W, 1200 LM IP : IP65 lens Material:PC Housing Material :Aluminum	3.5 inch Fog Lamp for jeep renegade 2015-2018	50	PAIR	
MS-P2				64	SET	10 set/CTN G.W.: 21.5KG CTN size: 55x30x11CM
MS-MF1509		White CREE&2led LOW DC12V EE LED RE: WHITE AND OW PMMA	LED Mirror w/Turn Signal Lights for Ford F-150	40	PAIR	
MS-RL004		bluetooth control 4 pod, RGB		26	SET	8 set/ctn G.W.: 10.3KG Ctn Size: 63*28*25 CM
MS-RL008		bluetooth control 8 pod, RGB		47	SET	6 set/ctn G.W.: 14KG Ctn Size: 41*39*30CM
MS-RL001		single color white/red/yellow/blue/green		4	PCS	48pcs/ctn G.W.: 12KG Ctn Size: 41*39*30 CM

MorSun Technology Co.,LTD

MODEL	PICTRES	DESCRIPTION	LUMEN	EXW Price		PACKING
MS-BL03		LED Smoke Brake Turn Tail Light For Harley Touring Electra Glide Ultra Classic Aftermarket Parts 100%		69	PCS	1pcs/CTN CTN SIZE: 67x20x16CM GW.W: 1.7KG
MS-BL04		Led tail Light for harley		6	PCS	
MS-BL05		Led tail Light for harley	6.3/4"x3.1/2"x2.1/2" (L x W x D)	19	PCS	
MS-TL-883		tail light for HARLEY 883 . voltage: DC12V . ip atigr: IP 67 . clor: red/black/transparent . color temperature: 6000K . housing material: die-cast alumn		15	PCS	
MS-JL-TL01		1, original Wrangler LED taillights, the U.S. is red version, European is yellow version. 2, can be used for 2007+Wrangler vehicles. 3, just plug and play, no need to change the original car circuit wires. 4, LED taillights, nice appearance 5, Led lifetime: 50,000 hours.	tail light for Jeep JL	86	PAIR	4 pair/CTN CTN size: 52*27*58cm G.W.: 19.5KG
MS-0297		1, original Wrangler LED taillights, the U.S. is red version, European is yellow version. 2, can be used for 2007+Wrangler vehicles. 3, just plug and play, no need to change the original car circuit wires. 4, LED taillights, nice appearance 5, Led lifetime: 50,000 hours.		33	PAIR	8 pair/CTN CTN size: 63*36*25cm G.W.: 15.2KG
MS-TL		1, original Wrangler LED taillights, the U.S. is red version, European is yellow version. 2, can be used for 2007+Wrangler vehicles. 3, just plug and play, no need to change the original car circuit wires. 4, LED taillights, nice appearance 5, Led lifetime: 50,000 hours.		36	PAIR	8 pair/CTN CTN size: 63*36*25cm G.W.: 15.2KG
MS-TL02		Aftermarket High Performance Integrated 2007-2015 Jeep Wrangler JK LED Tail Assemblies Light with Brake Reverse Backup Turn Signal Light Function Simple installation - Plug & Play, Water-proof IP67, Weatherproof, Shock-proof, UV protection polycarbonate lenses Touch ABS		38	PAIR	8 pair/CTN CTN size: 54*36*52cm G.W.: 12KG
MS-TL03				35	PAIR	8 pair/CTN CTN size: 54*36*52cm G.W.: 12KG
MS-TL04		Functions as stop turn tail back-up and reflector light Acrylic lens is screwed on to the housing Features chrome reflector inside the lens which is MUCH brighter and MORE visible from different angle		27	PAIR	16 pair/CTN CTN size: 58*38*39cm G.W.: 15.2KG
MS-TL05		jeep JK wrangler 2007-2015		40	PAIR	18 pair/CTN CTN size: 83*65*26cm G.W.: 15.2KG
MS-TL06		jeep JK wrangler 2007-2015		38	PAIR	8 pair/CTN CTN size: 63*36*25cm G.W.: 15.2KG
MS-TL07		jeep JK wrangler 2007-2015		40	PAIR	6 pair/CTN CTN size: 52*25*55cm G.W.: 11.8KG
MS-TL14				58	PAIR	

MS-TL15				67	PAIR	
MS-TL16				45	PAIR	
MS-JL-BL01		Tail light for Jeep Wrangler JL		24	PCS	20pcs/CTN CTN size: 60*40*40cm G.W.: 8.5KG
MS-BL		LED Brake Light For Jeep Wrangle(high mounted stop lamp) Type:Brake Light Voltage:10-30V DC Lamp Type:LED Car Make:Jeep Wrangler 07-14 Warranty:1year		8	PCS	20pcs/CTN CTN size: 60*40*40cm G.W.: 8.5KG
MS-F150T1		For 09-14 Ford F150 and but not for Raptor Models.(Clear and smoke Lens for option) Bright and Power Saving – 9 built-in LEDs ensures great vision and brake/reverse		18	PCS	40pcs/CTN G.W.: 15.5KG CTN size: 60x40x39CM
MS-DR1523T		Ram 1500 2500 3500 2011 to 2016, Dodge Ram 1500 2009 new body model only and Dodge Ram 1500 2500 3500 2010.		18	PCS	30pcs/CTN G.W.: 12.6KG CTN size: 54x42x42CM
MS-TL08		Truck tail lamp 39 PC LED 10-30V 210*190mm		22	PAIR	
MS-TL09		Truck tail lamp 15PC LED 10-30V 170*145mm		20	PAIR	
MS-TL10		Truck tail lamp 10-30V 170*145mm		24	PAIR	
MS-TL11		Truck tail lamp 24 PC LED 10-30V 170*145mm		22	PAIR	
MS-TL12		Truck tail lamp 16PC LED 10-30V 170*145mm		20	PAIR	
MS-TL13		Truck tail lamp 22PCLED 10-30V 170*145mm		20	PAIR	
MS20101		DOT/SAE Truck/Trailer Square Double Face LED Stop Turn Pedestal Light with Marker Clearance Light, 45 LEDs 2835SMD 1.LED QTY: 21Red+21Amber+3Amber 2.Voltage: 12V or 24V 3.Color: Red+Amber		19	PAIR	
MS20102		DOT/SAE Truck/Trailer Square Double Face LED Stop Turn Pedestal Light with Marker Clearance Light, 39 LEDs 2835SMD 1.LED QTY: 18Red+18Amber+3Amber 2.Voltage: 12V or 24V 3.Color: Red+Amber 4.Material: Chrome housing, PC lens		19	PAIR	
MS20103		Truck/bus LED side marker lamp 1.LED QTY: 12 LEDs 2835 SMD 2.Voltage: 12V or 24V 3.Color: Red, Amber, White 4.Material: PC lens&Stainless steel housing 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock 7.Lamp Size:16*1.5*5.4cm Mounting: 2 screws base		2	PCS	

MS201904		LED side marker lamp, PC lens 1.LED QTY: 21pcs LEDs 2835SMD 2.Color: Red,Amber,White 3.Voltage: 12V or 24V 4.Long life >50,000 hours 5.Waterproof,Dustproof,Anti-Shock& Anti-Vibration		4.5	PCS	
MS201905		Truck LED side marker lamp, PC lens 1.LED QTY: 4pcs LEDs 2835SMD 2.Color: Red,Amber,White 3.Voltage: 12V or 24V 4.Long life >50,000 hours 5.Waterproof,Dustproof,Anti-Shock& Anti-Vibration		1.1	PCS	
MS201906		LED side marker lamp, PC lens 1.LED QTY: 13pcs LEDs 2835SMD 2.Color: Red,Amber,White 3.Voltage: 12V or 24V 4.Long life >50,000 hours 5.Waterproof,Dustproof,Anti-Shock& Anti-Vibration		2.6	PCS	
MS201907		LED side marker&turn signal light, 18 pcs 5730SMD 1.Material: PP bracket & PC lens 2.Voltage: 10V to 60V 3.Long life >50,000 hours 4.Color: Red,Amber,White 5.Waterproof,Dustproof,Anti-Shock& Anti-Vibration		3	PCS	
MS201908		M3 series LED side marker light, 3 pcs 5730SMD 1.Material: Chrome housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours 4.Color: Red,Amber,White		1.7	PCS	
MS201909		M5 series LED side marker light, 4 pcs 5730SMD 1.Material: Chrome housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours 4.Color: Red,Amber,White		1.9	PCS	
MS201910		M1 series LED side marker light, 6 pcs 5730SMD 1.Material: Chrome housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours 4.Color: Red,Amber,White 5.Waterproof,Dustproof,Anti-Shock 6.Size:L168.3"W55.6"D23.8 mm Mounting: Hang		2.1	PCS	
MS201911		3/4 inch mini round LED side marker light, 3 pcs 5730SMD 1.Material: PP&Chrome housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours		1.2	PCS	
MS201912		3/4 inch mini round LED side marker light, 3 pcs 5730SMD 1.Material: PP&Chrome housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours		1.2	PCS	
MS201913		2 inch oval LED side marker light, 3 pcs 5730SMD 1.Material: Rubber housing & PC lens 2.Voltage: 12V or 24V 3.Long life >50,000 hours		1.6	PCS	
MS14		Connector for DB-5038,5038A,5039, 5041,5041A,3043		0.5	PCS	
MS201914		DOT/SAE Truck/Trailer 6" LED Stop/Turn/Tail lamp, 24 LEDs, 1.LED QTY: 24pcs 2835SMD LEDs 2.Voltage: 12V or 24V&(12V to 24V) 3.Color: Red, Amber, White 4.Material: PC bracket, PC lens 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock 7.Lamp Size:16"6*2.5cm Mounting: connector plug	Single voltage: \$3.8/PCS Multi-voltage : \$4.3/PCS			
MS201915		DOT/SAE Truck/Trailer 6" LED Stop/Turn/Tail lamp, 24 LEDs, with Rubber grommet 1.LED QTY: 24pcs 2835SMD LEDs 2.Voltage: 12V or 24V&(12V to 24V) 3.Color: Red, Amber, White 4.Material: PC bracket, PC lens 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock 7.Lamp Size:16"6*2.5cm Mounting: connector plug	Single voltage: \$4/PCS Multi-voltage : \$4.5/PCS			
MS201916		DOT/SAE Truck/Trailer 6" LED Stop/Turn/Tail lamp, 35 LEDs, 1.LED QTY: 35pcs LEDs 2835SMD 2.Voltage: 12V or 24V 3.Color: Amber 4.Material: PC bracket, PC lens 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock 7.Lamp Size: 16"6*4.8cm Mounting: connector plug		6.9	PCS	

MS201917		DOT/SAE Truck/Trailer 6" LED Stop/Turn/Tail lamp, 35 LEDs, with Rubber grommet 1.LED QTY: 35pcs LEDs 2835SMD 2.Voltage: 12V or 24V		7.3	PCS	
MS201918		DOT/SAE Truck/Trailer/Bus 17" Stop/Turn/Tail Light Bar, 46 LEDs 1.LED QTY: 46pcs LEDs 2835SMD 2.Voltage: 12V or 24V 3.Color: Red, Amber, White 4.Material: PC housing, PC lens 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock& Anti-Vibration 7.Lamp Size:		5.4	PCS	
MS201919		DOT/SAE Truck/Trailer 4" LED Stop/Turn/Tail lamp, 24 LEDs, 1.LED QTY: 24pcs 2835SMD LEDs 2.Voltage: 12V or 24V&(12V to 24V) 3.Color: Red, Amber, White 4.Material: PC bracket, PC lens 5.Long life >50,000 hours 6.Waterproof,Dustproof,Anti-Shock 7.Lamp Size: Dia10.5*3cm Mounting: connector plug	Single voltage: \$3.8/PCS Multi-voltage : \$4.3/PCS			
MS201920		DOT/SAE Truck/Trailer 4" LED Stop/Turn/Tail lamp, 24 LEDs, with Rubber grommet 1.LED QTY: 24pcs 2835SMD LEDs 2.Voltage: 12V or 24V&(12V to 24V) 3.Color: Red, Amber, White 4.Material: PC bracket, PC lens 5.Long life >50,000 hours	Single voltage: \$4/PCS Multi-voltage : \$4.5/PCS			
MS201921		truck tail lamp Volt: 12-24V Wattage: 1W Color Temperature: red/amber Lumen: 1800LM Light Source: 8PCS LEDs each piece Size:120mm*95mm*23mm		2.8	PCS	
MS201922		Volt: 24V Wattage: 1W Color Temperature: blue/white/amber/green Lumne:800lm Source: 6PCS LEDs each piece	Truck/bus LED side marker lamp	0.7	PCS	
MS-03-394		TAIL LIGHT Volt: 12-24V Wattage: 1W Color Temperature: red/white/amber		11	PAIR	
MS-SC05-066		Type: LED tail lamp for Scania Voltage:24V Warranty :1 year Light color:Red,Yellow,White Application:Truck	tail lamp for Scania truck	190	PAIR	
MS-MB03-394		Type: LED tail lamp for Benz Voltage:24V Warranty :1 year Light color:Red Application:Truck	tail lamp for Benz	58	PAIR	
MSVV01110		Type: LED tail lamp for volvo Voltage:24V Warranty :1 year Light color:Red,White,Yellow	truck led tail lamp for volvo 21097447	140	PAIR	
MSVV01109		Type: LED tail lamp for volvo Voltage:24V Warranty :1 year Light color:Red,White,Yellow Application:Truck	Truck led tail lamp for volvo 20565106 20565107	170	PAIR	
MS-05-395		Type :side mark light Voltage:24V Warranty :1 year Light color:Red yellow Application:Truck	Side Marker Lamp	3	PCS	

MODEL	PICTRES	DESCRIPTION	LUMEN	EXW Price		PACKING
MS-JL-7B01		1) Size:7 inch 2) Fits 2018+JL 3) Requires OEM headlight assembly 5) No drilling required 6) Combination of Aluminum and Steel (Powder coated textured)	for Jeep JL	25	PAIR	8 pair/CTN CTN size: 54*54*31CM G.W.: 9KG
MS-JL01			for Jeep JL	4	PAIR	
MS-JL-BR01			JL fog light bracket	6	PAIR	
MS-JL-BR02			JL fog light bracket	6	PAIR	
MS-LS01		Turn Signal Lens For Harley-Davidson		1	PAIR	100pcs/CTN CTN size: 39*29*23CM G.W.: 3.1KG
MS-B-7INCH			7 inch bracket	7	PCS	30pcs/CTN CTN size: 67*50*37cm
MS-B-5.75IN			5.75 inch bracket	14	PCS	30pcs/CTN CTN size: 63*36*45cm
MS-cup001		trim ring for headlight	5.75 inch	13	PCS	24pcs/CTN CTN size: 45x40x40CM
MS-cup002		trim ring for headlight	7 inch	13	PCS	32pcs/CTN CTN size: 64x51x52CM
MS-cup003		trim ring for fog light	4.5 inch	12	PAIR	
MS-P1		ONLY bracket, NO light holder 2006-2016 street glide FLHX 2014-2017 Street Glide Special FLHXS 2012 Harley CVO Street Glide FLHXSE3 011 Harley CVO Street Glide FLHXSE2 2012-2014 Harley Street Glide		48	SET	30 set/CTN G.W.: 26.8KG CTN size: 52x72x40CM
MS-P3				25	SET	
MS-P5				16	SET	
MS-7HBB		7 inch housing	black: \$18/pcs chrome: \$23/pcs		PCS	6 PCS/CTN CTN size: 47x24x49CM G.W.: 8.7KG
MS-5.75HBS		5.75 inch housing	black/chrome	10	PCS	
MS-5.75HBB		5.75" headlight Holder	black/chrome	11	PCS	30 PCS/CTN CTN size: 51x54x38CM G.W.: 17.3KG
MS-4.5HBB		4.5" fog light holder	black/chrome	10	PAIR	18 pair/CTN CTN size: 45*40*41cm G.W.: 12.6KG
MS-AD01		Adaptor for harley H4		1.5	PCS	
MS-CW113		antiflicker kit for headlight		2.5	PCS	